

4. Conclusion

There has been a rapid progress in the utilization of semiochemicals in pest management because of certain unique benefits, these are species specific and do not cause adverse effect on non-target organisms, Many of semiochemicals do not persist or accumulate in the environment and therefore, do not pose any environmental problems, Since they are used in minute quantities and kill a large number of insects they are bound to economical and semiochemicals in pest suppression the quick results cannot be obtained with semiochemicals, so they cannot be employed in short term control measures. Sex pheromones can attract can only one sex, the other sex could still be there and continue to inflict the damage.

References

- [1]. Agronomy, Society and Environment 15(3): 459-470.
- [2]. El-Ghany N. M. A. (2019) Semiochemicals for controlling insect pests Journal of Plant Protection Research 59(1): 1-11.
- [3]. El-Sayed AM. 2015. The pherobase: database of insect pheromones and semiochemicals.
- [4]. Evenden M. L, and Silk P. J (2016). The influence of anadian research on semiochemical-based management of forest insect pests in Canada. The Canadian Entomologist 148(1): 170-209.
- [5]. Heuskin S, Verheggen, F. J, Haubruge E, Wathelet J. P, and Lognay G (2011). The use of semiochemical slow-release devices in integrated pest management strategies Biotechnology, Agronomy, Society, Environment 15(3): 459-470.
- [6]. Komala G, Manda R. R. and Seram D (2021). Role of semiochemicals in integrated pest management International Journal of Entomology Research 6(2): 247-253.
- [7]. Palial S and Nidhi (2019) The Potential use of Semiochemicals in Pest Suppression International Journal of Zoology and Animal Biology 2(3): 1-6.
- [8]. Pickett J. A, Woodcock C. M, Midega C. A and Khan Z. R (2014). Push-pull farming systems. Current opinion in biotechnology 26 125-132.
- [9]. Prasad T. V (2019) Handbook of entomology. New delhi
- [10]. Ramalakshmi V, Dash L, Padhy D, Rout S and Tripathy B (2020) Role of Semiochemicals in pest management, Cuttack, Orissa, pp-209-228.
- [11]. Rhains M, Therrien P, and Morneau L (2016). Pheromone-based monitoring of spruce budworm (Lepidoptera: Tortricidae) larvae in relation to trap position. Journal of economic entomology 109(2): 717-723.
- [12]. Tamiru A and Khan Z. R. (2017). Volatile semiochemical mediated plant defense in cereals: a novel strategy for crop protection Agronomy 7(3): 1-8.
- [13]. Trematerra P (2012) Advances in the use of pheromones for stored-product protection Journal of Pest Science 85(3): 285-299.
- [14]. Witzgall P., Kirsch P and Cork A (2010) Sex pheromones and their impact on pest management Journal of chemical ecology 36(1): 80-100.