



















- [6] J. Mindykowski and T. Tarasiuk, "Development of DSP-based Instrumentation for Power Quality Monitoring on Ships", *Measurement* (Journal of the International Measurement Confederation), Elsevier, Vol.43, n.8, pp.1012-1020, 2010.
- [7] O. Mårtens et al., "DSP-Based Power-Quality Monitoring Device", Proc. 2007 IEEE International Symposium on Intelligent Signal Processing, WISP, 2007.
- [8] M. Artioli, G. Pasini, L. Peretto, R. Sasdelli, F. Filippetti, "Low-cost DSP-based Equipment for the Real-time Detection of Transients in Power Systems", *IEEE Trans. on Instrumentation and Measurement*, Vol.53, n.4, 2004, pp.933-939.
- [9] M. Brando et al. "A PC-Based Instrument for Automatic Monitoring and Control of a CPVT Power Plant", Proc. 20th IMEKO TC4 International Symposium, Benevento, Italy, September 15-17, 2014, pp. 40-44.
- [10] F. Corrêa Alegria, E. Molino-Minero-Re, S. Shariat-Panahi, "Evaluation of a Four-point Sine Wave Frequency Estimator for Portable DSP based Instrumentation", *Measurement* (Journal of the International Measurement Confederation). Elsevier, Vol.45, n.7, 2012, pp.1866-1871.
- [11] F. Adamo, G. Cavone, A. Di Nisio, A.M.L. Lanzolla, M. Spadavecchia, "A Proposal for an Open Source Energy Meter", Proc. IEEE Instrumentation and Measurement Technology Conference, I2MTC, Minneapolis, MN, USA, May 6-9, 2013, pp. 488-492.
- [12] D. Bellan, "A Discrete Model of Jitter for Coarsely Quantized Waveforms", *International Journal of Circuits, Systems and Signal Processing*, Vol.10, 2016, pp. 269-274, ISSN 1998-4464.
- [13] F. Adamo, F. Attivissimo, G. Cavone, C. Guarnieri Calò Carducci, A. M. L. Lanzolla, "New Technologies and Perspectives for Laboratory Practices in Measurement Science", Proc. 2015 IEEE International Instrumentation and Measurement Technology Conference (I2MTC), May 11-14, 2015, Pisa, Italy, 2015.
- [14] S. Rapuano and F. J. Harris, "An Introduction to FFT and Time Domain Windows", *IEEE Instrumentation & Measurement Magazine*, December 2007, pp. 32-44.
- [15] E. Brigham, *Fast Fourier Transform and Its Applications*, Englewood Cliffs, NJ: Prentice Hall, 1988.
- [16] F.J. Harris, "On the Use of Windows for Harmonic Analysis with the Discrete Fourier Transform", *Proceedings of the IEEE*, Vol.66, N.1, 1978, pp.51-83.
- [17] F.J. Harris and W. Lowdermilk, "Cost Effective, Versatile, High Performance Spectral Analysis in a Synthetic Instrument", *IEEE Instrumentation & Measurement Magazine*, August 2009, pp.8-13.
- [18] C. Liguori, V. Paciello, A. Paolillo, and A. Pietrosanto, "Improving and Qualifying Spectrum Analysis Made by Digital Scopes", *IEEE Trans. on Instrumentation and Measurement*, Vol.56, N.6, 2007, pp.2411-2419.
- [19] D. Bellan, "Estimation of Harmonic Power Components Affected by Frequency Instability", *International Journal of Circuits, Systems and Signal Processing*, Vol.10, 2016, pp. 275-280, ISSN 1998-4464.
- [20] F. Adamo, F. Attivissimo, A. Di Nisio, M. Savino, M. Spadavecchia, "A Spectral Estimation Method for Nonstationary Signals Analysis with Application to Power Systems", *Measurement* (Journal of the International Measurement Confederation) Elsevier, Vol.73, n.11, 2015, pp.247-261.
- [21] <https://www.picotech.com/oscilloscope/2000/picoscope-2000-overview>
- [22] PicoScope 2000 Series Programmer's Guide: <https://www.picotech.com/oscilloscope/2000/picoscope-2000-manuals>
- [23] J. Schoukens, Y. Rolain, G. Simon, R. Pintelon, "Fully Automated Spectral Analysis of Periodic Signals", IEEE Instrumentation and Measurement Technology Conference Anchorage, AK, USA, 21-23 May, 2002, pp.299-302.
- [24] R. M. Hidalgo, J. G. Fernandez, R. R. Rivera, and H. A. Larrondo, "A Simple Adjustable Window Algorithm to Improve FFT Measurements" *IEEE Transactions on Instrumentation and Measurement*, Vol.51, N.1, 2002, pp.31-36.