

properties of Zr-based bulk metallic glass
vol. 313, 2014.

- [39] I. Bantounas, D. Dye, and T. C Lindley, *The role of microtexture on the faceted fracture morphology in Ti-6Al-4V subjected to high-cycle fatigue* vol. 58, 2010.
- [40] C. Gu, J. Lian, Y. Bao, and S. Münstermann, "A microstructure sensitive modeling approach for fatigue life prediction considering the residual stress effect from heat treatment," *Procedia Structural Integrity*, vol. 13, pp. 2048-2052, 2018/01/01/ 2018.
- [41] S. P. Kuo, S. S. Kuo, and O. S. P. R. B. C. Northrop Grumman Space Technology, "Theoretical study of plasma effect on a conical shock wave," 2006-03-15 2006.
- [42] O. Hatamleh, J. Lyons, and R. Forman, *Laser and shot peening effects on fatigue crack growth in friction stir welded 7075-T7351 aluminum alloy joints* vol. 29, 2007.
- [43] X.-q. Zhang, L.-s. Chen, X.-l. Yu, L.-s. Zuo, and Y. Zhou, "Effect of laser shock processing on fatigue life of fastener hole," *Transactions of Nonferrous Metals Society of China*, vol. 24, pp. 969-974, 2014/04/01/ 2014.
- [44] S. G. Pantelakis, P. V. Petroyiannis, K. D. Bouzakis, and I. Mirisidis, *Surface Hardness Increase of 2024 Aluminum Alloy Subjected to Cyclic Loading* vol. 48, 2007.