

Reference:

- [1] B. Krejcirikova, J. Kolarik, and P. Wargocki, "ng," 2018, doi: 10.1016/j.buildenv.2018.03.011.
- [2] A. Saputro and B. Purwanggono, "PERAMALAN PERENCANAAN PRODUKSI SEMEN DENGAN METODE EXPONENTIAL SMOOTHING PADA PT . SEMEN INDONESIA," pp. 1–7, 2016.
- [3] W. Gustika Hami, A. Alfa, and R. Kinanda, "10.47521 Pengaruh Campuran Serat Kulit Pinang Dan Serbuk Gergaji Terhadap Kuat Tekan Batako," *Selodang Mayang J. Ilm. Badan Perenc. Pembang. Drh. Kabupaten Indragiri Hilir*, vol. 7, no. 2, pp. 69–76, 2021, doi: 10.47521/selodangmayang.v7i2.209.
- [4] R. EFRIASNYAH, "Analisis penerapan komposit poliester berpenguat serat gelas dan nanoselulosa untuk pembuatan dashboard dengan metode hand lay up," 2018.
- [5] K. M. F. Hasan, P. G. Horváth, and T. Alpár, "Development of lignocellulosic fiber reinforced cement composite panels using semi-dry technology," *Cellulose*, vol. 28, no. 6, pp. 3631–3645, 2021, doi: 10.1007/s10570-021-03755-4.
- [6] C. Ma, T. H. Kim, K. Liu, M. G. Ma, S. E. Choi, and C. Si, "Multifunctional Lignin-Based Composite Materials for Emerging Applications," *Front. Bioeng. Biotechnol.*, vol. 9, pp. 1–12, 2021, doi: 10.3389/fbioe.2021.708976.
- [7] M. K. A. A. Razab *et al.*, "Kenaf cellulose nanofibrils as mechanical enhancers of composite brick," *AIP Conf. Proc.*, vol. 2068, no. February, pp. 1–6, 2019, doi: 10.1063/1.5089370.
- [8] H. Chen, *Biotechnology of Lignocellulose*. 2014.
- [9] G. Information, "邓广1, 李洪平1 (1.," vol. 03, no. November, pp. 3–7, 2017.
- [10] H. Sujatmiko and B. Subtitusi, "PENGGERGAJIAN KAYU SEBAGAI BAHAN SUBSTITUSI PEMBUATAN BATA BETON (BATAKO)," vol. 5, no. 2, 2016.
- [11] N. A. Jalali, "Pemanfaatan Abu Sabut Kelapa Sawit Dan Pengaruhnya Terhadap Karakteristik Batako," *Inf. dan Ekspose Has. Ris. Tek. Sipil dan Arsit.*, vol. 13, no. 1, pp. 1–14), 2017.
- [12] UNEP, *Sand and sustainability: Finding new solutions for environmental governance of global sand resources*, GRID-Geneva, United Nations Environment Programme, Geneva, Switzerland. 2019.
- [13] R. Pujantara and H. Winarno, "PENGARUH KOMPOSISI BAHAN PENGISI STYROFOAM PADA PEMBUATAN PEMBUATAN BATAKO MORTAR SEMEN DITINJAU DARI Styrofoam merupakan limbah dari pemakaian aktifitas manusia seperti : biodegradable (tidak dapat membusuk menjadi zat konstituen). styrofoam dirancang," *J. Sci. PINISI*, vol. 1, no. 1, pp. 1–12, 2015.
- [14] B. S. Nasional, "Bata beton untuk pasangan dinding," *Sni 03-0349-1989*, vol. ICS 91.100, no. 1, pp. 1–6, 1989.
- [15] A. Ardinal, R. Wirni, and N. A. Haryati, "Pengaruh penambahan limbah tongkol jagung untuk pembuatan batu bata ringan," *J. Litbang Ind.*, vol. 10, no. 1, p. 39, 2020, doi: 10.24960/jli.v10i1.6180.39-45.
- [16] S. Sharma, V. Sharma, and A. Kuila, "Cellulase production using natural medium and its application on enzymatic hydrolysis of thermo chemically pretreated biomass," *3 Biotech*, vol. 6, no. 2, 2016, doi: 10.1007/s13205-016-0465-z.
- [17] M. R. Suprayogi, A. Mufida, and E. Azwar, "Analysis of Sound Reduction and Strong Drag Composite Concrete Fibers Gedebok Banana Results Delignification with Sodium Hydroxide Solvent (Naoh)," *Inov. Pembang. J. Kelitbangan*, vol. 6, no. 02, pp. 105–120, 2018, doi: 10.35450/jip.v6i02.90.