























- dispatch model based on electric boiler and CHP with thermal energy storage,” Proceedings of the CSEE, vol. 36, no. 15, pp. 4072-4080, Aug. 2016.
- [13] F. Xu, Y. Min, L. Chen et al., “Combined electricity-heat operation system containing large capacity thermal energy storage,” Proceedings of the CSEE, vol. 34, no. 29, pp. 5063-5072, Oct. 2014.
- [14] X. Wu, X. Wang, J. Li et al., “A joint operation model and solution for hybrid wind energy storage systems,” Proceedings of the CSEE, vol. 33, no. 13, pp. 10-17, May 2013.
- [15] G. Yan, J. Liu, Y. Cui, et al., “Economic evaluation of improving wind power scheduling scale by an energy storage system,” Proceedings of the CSEE, vol. 33, no. 22, pp. 45-52, Aug. 2013.
- [16] B. Aluisio, M. Dicorato, G. Forte, et al., “Hybrid energy storage system optimization for improving wind power integration,” in Proceedings of the 2016 Power Systems Computation Conference on Power Systems Computation Conference (PSCC), Genoa, Italy, Aug. 2016, pp. 1-9.
- [17] Y. Song, Z. Tan, H. Li et al., “An optimization model combining generation side and energy storage system with demand-side to promote accommodation of wind power,” Power System Technology, vol. 38, no. 3, pp. 611-615, Mar. 2014.
- [18] W. Ruan, B. Wang, Y. Li et al., “Customer response behaviour in time-of-use price,” Power System Technology, vol. 36, no. 7, pp. 86-93, Jul. 2012.
- [19] Q. Cui, X. Wang, and W. Wang, “Stagger peak electricity price for heavy energy-consuming enterprises considering improvement of wind power accommodation,” Power System Technology, vol. 39, no. 4, pp. 946-952. Apr. 2015.
- [20] W. Zhang, X. Wang, X. Wu et al., “An analysis model of power system with large-scale wind power and transaction mode of direct power purchase by large consumers involved in system scheduling,” Proceedings of the CSEE, vol. 35, no. 12, pp. 2927-2935. Jun. 2015.
- [21] W. Gu, Z. Wu, R. Wang et al., “Multi-objective optimization of combined heat and power microgrid considering pollutant emission,” Automation of Electric Power Systems, vol. 36, no. 14, pp. 177-185, Jul. 2012.
- [22] G. W. Ault, K. R. W. Bell, and S. J. Galloway, “Calculation of economic transmission connection capacity for wind power generation,” IET Renewable Power Generation, vol. 1, no. 1, pp. 61-69, Mar. 2007.
- [23] C. Dou, X. Zhou, T. Zhang and S. Xu, "Economic Optimization Dispatching Strategy of Microgrid for Promoting Photoelectric Consumption Considering Cogeneration and Demand Response," in Journal of Modern Power Systems and Clean Energy, vol. 8, no. 3, pp. 557-563, May 2020, doi: 10.35833/MPCE.2019.000214.
- [24] A. Raghavan, P. Maan and A. K. B. Shenoy, "Optimization of Day-Ahead Energy Storage System Scheduling in Microgrid Using Genetic Algorithm and Particle Swarm Optimization," in IEEE Access, vol. 8, pp. 173068-173078, 2020, doi: 10.1109/ACCESS.2020.3025673.

## Author Contributions

Pothula Jagadeesh carried out the simulation and the optimization.

M Mohamed Thameem Ansari and M Saiveerraju verified the results and complete the drafting